

About us

PROFILES WITH PROFILE

A powerful and efficient team is the base for our company success. We have faced the requirements of the market and are today the trademark for innovation, competence and quality in plastic manufacturing. We relentless pursuit our focus on quality, also in products, processes and management. APU's claim is to provide always the highest qualitiy. We confess a special responsibility to the environment, align each operational work to this subject and know the basics of saving resources as well as a lasting management.

info

ADVICE



Profiles are illustrated between 60% and 80%. The basic size of the profiles are mm.

Manufacturing differences and tolerances are subject to change.

Our standard program is only available in original packaging. We only deliver special colors and profiles by agreement. Over at all we reserve us other changes.

With this catalogue the older ones get null. Delivery will be carried out according to our delivery and payment conditions.

As may be the case of missprint there is no way of complaint.

The colors in this sheet could be differ because of print technic.

MANUFACTURING ADVICE

These pictograms show the manufacturing advice we give to you.











Overview of pressure pieces and sets see page 64.

two-componentmastic

BOLTA-scissors

BOLTA-hot glue gun


3OLTA-punch











BOLTA-PROFILE-PARTNERS



Eckhoffkoppel 8b 22927 Großhansdorf

- T 04102 65111
- 04102 691489
- M 0160 7013414
- @ a.facklam@t-online.de

Marco Kalbhen **Handelsvertretung BOLTA** Fußbodenprofile

An den Leddigen 70 14476 Potsdam

- T 033208 208965 F 033208 208966
- M 0175 2047971
- @ info@kalma-handel.de

André Schlepphorst

94513 Schönberg M 0151 - 29501782 @ schlepphorst@abs-leisten.de



Frank Schmidt **Handelsvertretung BOLTA** Fußbodenprofile

Bornackerweg 9 35232 Dautphetal

- T 06468 7177
- 06468 1511
- M 0172 8488536
- @ schmidt-f@t-online.de



Marcel Bäßler **Handelsvertretung BOLTA** Fußbodenprofile

Straße des Friedens 11b 04654 Frohburg OT Flößberg M 0163 - 4774765

@ info@handelsagentur-baessler.de



Stefan Elser

73527 Schwäbisch Gmünd M 0151 - 11507509

@ elser.stefan@apu-schoenberg.de



Thomas Freund Handelsvertretung BOLTA Fußbodenprofile

Schleifweg 20 97464 Niederwerrn

T 09726 - 1245

09726 - 1210

M 0160 - 98042329

@ t.freund@t-online.de



Matthias Bäßler Handelsvertretung BOLTA Fußbodenprofile

Finkenweg 18 04643 Geithain

- 034341-43277
- F 034341 40804
- M 0171 8239292
- @ info@baessler-werkzeug.de

Zentrallager Bolta Fußbodenprofile APU Schönberg GmbH

94513 Schönberg

- 08554 309-0
- F 08554 309-50
- @ info@apu-schoenberg.de

products

hard-foam-skirtings

concave-Skirtings

stair-nosings

tools/equipment

Q-group p. 08-15

carpet-skirtings

plasticised-PVC-skirtings

special-profiles p. 48-57

Q-group

STRAIGHT-LINED TRENDSETTER

"Clear cut" is currently very much in vogue. The hard foam skirting boards from the Q-family follow this trend. The shape of the board follows current design requirements for plain, high-quality and straight lined skirting boards. A modern look and uncomplicated workmanship go hand in hand here, because the boards can be fitted to inner and outer corners quickly and easily with the B<mark>OLTA mit</mark>re cutter. Skirting boards from the Q-group are available in heights of 40, 60 and 80 mm. The surfaces are finished in smooth, grained and brushed versions; the colour palette ranges from wood and metal looks to selected decor colours in 3D. From a purchase quantity of at least 2,000 metres, we also produce decors according to customer specifications. In addition, the general quality features of the Q-family are the same as those of our entire rigid foam segment: they are insensitive to moisture, dimensionally stable and easy to process.



Skirting boards from the Q-group are available in heights of 40, 60 and 80 mm. The surfaces are finished in smooth, grained and brushed versions.



Q-group







Q 12-60H p. 10



Q 12-60G/B/N





Q 12-40G/B



p. 13




Q 16-80G/B

p. 14



Q 8-70G

p. 15



Q 12-60M

ARTICLE 10646

Packungseinheit / Länge: 20 pcs per 2,5 m = 50 m









- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + metallic surface



rose gold









Q-group




stainless

steel dark



0806 champagne light aluminium




Q 12-60H

ARTICLE 10670

packaging unit / length 20 pcs per 2,5 m = 50 m





- + not affected by humidity or moisture, dimensionally stable
- + wood colored surface









oak arizona

8933

oak rustic







isla spruce



8924

sitka spruce



chestnut



8929

pine



8928 beech country house






polar oak



lime oak

8931 oak havanna



Q 12-60G

ARTICLE 10655

packaging unit / length 20 pcs per 2,5 m = 50 m

Q-group









- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed** surface



Q 12-60B

ARTICLE 10645

packaging unit / length 20 pcs per 2,5 m = 50 m

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + grainy structered surface




Q 12-60N

ARTICLE 10650

packaging unit / length 20 pcs per 2,5 m = 50 m

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + genarbte Oberfläche





Q 12-40G

ARTICLE 10640

packaging unit / length 30 pcs per 2,5 m = 75 m









- + unplasticised PVC-foam-skirting in 40 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed** surface



Q 12-40B

ARTICLE 10641

packaging unit / length 30 pcs per 2,5 m = 75 m

- + unplasticised PVC-foam-skirting in 40 mm headway
- $\hbox{+ not affected by humidity or moisture, dimensionally stable}\\$
- + grainy structered surface



9016 traffic white

Ŧ





ARTICLE 10855


packaging unit / length 13 pcs per 2,5 m = 32,5 m





- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed** surface





Q 16-80G

ARTICLE 10680

packaging unit / length 10 pcs per 2,5 m = 25 m





- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed** surface



9016 traffic white

Q 16-80B

ARTICLE 10681


packaging unit / length 10 pcs per 2,5 m = 25 m

- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + grainy structered surface



9016 traffic white

Ŧ



Q8-70G

ARTICLE 10755

packaging unit / length 20 pcs per 2,5 m = 50 m

Q-group







- + unplasticised PVC-foam-skirting in 70 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed** surface





9016 traffic white

0101

hard-foam-skirtings

CLASSIC FLOOR SKIRTINGS

Within product innovation BOLTA has developed a large quote of hard-foamskirtings, which are especially suited for objects. Particular the classic floor skirting, made out of foamed unplasticised-PVC in various sizes and styles with a rigid surface and nevertheless slight in weight. To work the skirting is very easy if you use the BOL-TA-punch. This product familiy is immune to dampness and always keeps form. Two flexible lips to floor and wall drain off subsonic noise. We offer our established profile in selected 3-D or metal-decor-colors withstructure or in wood optic.





This product familiy is immune to dampness and always keeps form.

hard-foam-skirtings








SL 80 p. 20



SL 100 p. 20



SL 55 p. 21



PSL 58/58F p. 22



MULTI-SL 60 p. 23




TSL 60 p. 23



SL 48M p. 24



BSL 60 p. 25



SL 60

ARTICLE 10560

packaging unit / length 25 pcs per 4 m = 100 m

hard-foam-skirtings





- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, form-keeping
- + **imbued**, flexible lips to floor and wall





ARTICLE 25560

packaging unit / length 40 pcs per 2,5 m = 100 m



EQUIPMENT

internal corner	external corner			
Article 22842 50 pieces/color	Article 22843 50 pieces/color			
finish cap left	finish cap right		colours	
Article 22845	Article 22844	0101 white	0107 grey	0272 clear beige
50 pieces/color	50 pieces/color	1236 clear grey	1594 black	8740 silver

Ţ

ARTICLE 10560

packaging unit / length 25 pcs per 4 m = 100 m



ARTICLE 25560

packaging unit / length 40 pcs per 2,5 m = 100 m




external corner

internal corner

EQUIPMENT

Article 22842 50 pieces/color	Article 22843 50 pieces/color				
finish cap left	finish cap right		colo	urs	
Article 22845 50 pieces/color	Article 22844 50 pieces/color	8538 oak	8619 beech select	8661 beech	8662 maple




SL80

ARTICLE 10575

packaging unit / length 25 pcs per 4 m = 100 m

hard-foam-skirtings









- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, form-keeping
- + **imbued**, flexible lips to floor and wall









SL 100

ARTICLE 10590

packaging unit / length 25 pcs per 4 m = 100 m

- + PVC Hartschaumsockelleiste in 100 mm Bauhöhe
- + not affected by humidity or moisture, form-keeping
- + **imbued**, flexible lips to floor and wall










Ŧ



SL 55

ARTICLE 10565

packaging unit / length 25 pcs per 4 m = 100 m

hard-foam-skirtings





- + PVC Hartschaumsockelleiste in 55 mm Bauhöhe
- + not affected by humidity or moisture, form-keeping









58

PSL 58

ARTICLE 10669

packaging unit / length 25 pcs per 4 m = 100 m

ARTICLE 25669

packaging unit / length 20 pcs per 2,5 m = 50 m

PSL 58F

ARTICLE 10669

packaging unit / length 25 pcs per 4 m = 100 m

ARTICLE 25669

packaging unit / length 20 pcs per 2,5 m = 50 m

hard-foam-skirtings





- + unplasticised PVC-foam-skirting in 58 mm headway
- + not affected by humidity or moisture, form-keeping
- + ready to paste in floors
- + shadow gap to the wall, **transparent** lip to the floor




- + unplasticised PVC-foam-skirting in 58 mm headway
- + not affected by humidity or moisture, form-keeping
- + ready to paste in floors
- + shadow gap to the wall, **imbued** lip to the floor



EQUIPMENT


finish cap left	finish cap right	colours			
Article 22839 50 pieces/color	Article 22838 50 pieces/color	0101 white	0107 grey	0272 clear beige	0865 silver
	30 pieces/coloi	0880 champa- gner	0899 bronce	1594 black	5309 mocha brown



MULTI-SL 60

ARTICLE 10660

packaging unit / length 30 pcs per 4 m = 120 m



TSL 60

ARTICLE 10665

packaging unit / length 25 pcs per 4 m = 100 m

hard-foam-skirtings





ORANGE PRESSURE PIECE



- + not affected by humidity or moisture, form-keeping
- + ready to paste in floors
- + transparent flexible lip to the floor






- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, form-keeping
- + ready to paste in floors
- + flexible roof








SL 48 M

ARTICLE 10589

packaging unit / length 40 pcs per 2,5 m = 100 m

hard-foam-skirtings





- + unplasticised PVC-foam-skirting in 48 mm headway
- + not affected by humidity or moisture, form-keeping
- + invisible soft lip
- + metal clip, art. 22030 not in delivery range





CLIP —

ARTICLE 22030

packaging unit / length 1 Pckg. à 50 St.

- + metal clip for assembling
- + multiple mounting and demounting possible

EQUIPMENT

internal corner	external corner		
Article 22870	Article 22871		
50 pieces/color	50 pieces/color		

finish cap left	finish cap right	connection		col	ours	
Article 22880 Article 22881 Article 22882 50 pieces/color 50 pieces/color 50 pieces/color		1729 white	8849 isla spruce	8850 savanne	8851 walnut rust.	
50 pieces/coloi	50 pieces/color	50 pieces/coloi	8852 cement grey	8853 white oak	8854 sand oak	8855 island oak
			8856	8857 old beech	8858 maple dark	

60 14,6

BSL 60


ARTICLE 10537

packaging unit / length 28 pcs per 2,5m =70 m

hard-foam-skirtings







- + not affected by humidity or moisture, form-keeping
- + invisible soft lip





EQUIPMENT

internal corner	external corner			
Article 22810 50 pieces/color	Article 22811 50 pieces/color			
finish cap left	finish cap riaht			

Article 22815	
50 pieces/color	

Colouis				
9003 white	8849	8850	8851	
	isla spruce	savanne	nussb. rust.	
8858	8853	8854	8855	
maple dark	white oak	sand oak	island oak	
8856	8857	8859		
oak vint.	old beech	maple nat.		

Article 22814 50 pieces/color

carpet-skirtings

PROFILES FOR TEXTILES

The skirtings are produced in various styles and colors and guarantee a stunning combination to textile flooring. Our range involves solutions out of foamedplasticised-PVC and combined materials like rigid-PVC with a soft roof. The chlorine free profile can be easily cut with simple profile scissors. Each profile version has it's own characteristics like the self adhesive types, which are specially made for your object. Beyond a high range of equipment alleviates your work.



Our range involves solutions out of foamed-plasticised-PVC and combined materials like rigid-PVC with a soft roof.

carpet-skirtings







TSL 55/6-SK p. 28



TSL 55/7 p. 29



TSL 55/9

p. 30

55 55

carpet-skirtings The state of the state of

TSL 55/6

ARTICLE 10387

packaging unit / length 25 pcs per 4 m = 100 m

ARTICLE 25387

packaging unit / length 40 pcs per 2,5 m = 100 m

- + unplasticised-PVC-carpet-skirting in 55 mm headway with a soft roof
- + self adhesive area integrated
- + specially appropriated for complete textile carpets





TSL 55/6-SK

ARTICLE 17387

packaging unit / length 40 pcs per 2,5 m = 100 m

- + unplasticised-PVC-carpet-skirting in 55 mm headway with a soft roof
- + self adhesive area with very high stick-attribute
- + specially appropriated for complete textile carpets
- + rearside with foam tape





TSL 55/7

ARTICLE 10443

packaging unit / length 30 pcs per 4 m = 120 m

ARTICLE 25443

packaging unit / length 40 pcs per 2,5 m = 100 m



- + unplasticised-PVC-carpet-skirting in 55 mm headway
- + self adhesive area integrated



EQUIPMENT

internal corner	external corner	colours		
Article 22885	Article 22886	0101	0107	0111
100 pieces/color	100 pieces/color	white	grey	black

55

TSL 55/9


ARTICLE 10482

packaging unit / length 25 pcs per 4 m = 100 m

ARTICLE 25482

packaging unit / length 40 pcs per 2,5 m = 100 m

carpet-skirtings



- + unplasticised-PVC-carpet-skirting in 55 mm headway with a soft roof
- + self adhesive area integrated



0101



0101 white

EQUIPMENT

internal corner	external corner	
Article 22850 100 pieces/color	Article 22851 100 pieces/color	
finish cap left	finish cap right	colours
Article 22860 50 pieces/color	Article 22861 50 pieces/color	0101 white

concave-skirtings

CONCAVE-SKIRTINGS PROTECT

This skirting has been developed in cooperation with experienced craftsmen for areas, which are most hygiene sensible. The floor can be raised without building corners, when mounting a concave skirting. Ugly and distracting corners could be avoided through radius formation. Benefit from our experience!





Hygiene is the top priority.

concave-skirtings








HKSL 3 p. 34



HKP 16-50 p. 35



HKSL 2,5

ARTICLE 24885

packaging unit / length 40 pcs per 2,5 m = 100 m



- + unplasticised PVC-concave-skirting in 100 mm headway
- + specially developed for your object
- + soft roof





grey

white

HKSL3

ARTICLE 10883


packaging unit / length 25 pcs per 4 m = 100 m

- + unplasticised PVC-concave-skirting in 100 mm headway
- + specially developed for your object



0101 white

Ŧ



HKP 16-50

ARTICLE 20000

HKP 16 x 16 packaging unit / length 20 pcs per 2,5 m = 50 m 2 Rollen à 30 m = 60 m

ARTICLE 20299

HKP 20 x 20 packaging unit / length 20 pcs per 2,5 m = 50 m

ARTICLE 20399

HKP 25 x 25 packaging unit / length 20 pcs per 2,5 m = 50 m 3 Rollen à 25 m = 75 m

ARTICLE 20400

HKP 50 x 50 packaging unit / length 10 pcs per 2,5 m = 25 m

Concave-skirtings Output Out

- + plasticised PVC-concave-skirting in various headways
- + for flooring implemention with raised PVC-floors and a neatless wall-floor-footbridge
- + specially for linolium floors
- + combination with various end profiles possible (picture)



0111 black



black



0111 black



0111 black

plasticised-PVC-skirtings

SKIRTINGS FOR YOUR OBJECT

The profile guarantees an easy and functional wall protection and provide the necessary, individual closure to the wall. The flexible skirtings which can be delivered on rolls, are easy to transport and handle. Additionally we sublimate the skirtings with die stamping to guarantee a high-class surface and a great view. The formation of internal and external corners can be carried out endlessly from the roll. More information for competent hauling you find in our product sheets. Choose the right color out of a considerable line!





The flexible skirtings which can be delivered on rolls, are easy to transport and handle.

plasticised-PVC-skirtings



WSL 50/15 p. 38 **Objekt-SK**



WSL 50/15 p. 38



WSL 60/16 p. 39 Objekt-SK




WSL 60/16 p. 39



WSL 80/18 p. 40





WSL 50/15

ARTICLE 10224

OBJEKT-SK

packaging unit / length 1 Rolle à 50 m

- - + plasticised PVC-skirting in 50 mm headway to the wall
 - + self adhesive rear with a high quality acrylic-tape
 - + REACH compliant



WSL 50/15

ARTICLE 10310

packaging unit / length

2 Rollen à 50 m = 100 m

ARTICLE 10510

packaging unit / length 1 Rolle à 50 m


- + plasticised PVC-skirting in 50mm headway to the wall for your object + REACH compliant



plasticised-PVC-skirtings







plasticised-PVC-skirtings

WSL 60/16 OBJEKT - SK

ARTICLE 10233

packaging unit / length 1 Rolle à 50 m

- + plasticised PVC-skirting in 60 mm wall headway
- + self adhesive rear with a high quality acrylic-tape
- + REACH compliant





0107

0111 black

WSL 60/16


ARTICLE 10333

packaging unit / length 1 Rolle à 50 m

- + plasticised PVC-skirting in 60 mm wall headway for your object
- $\hbox{+ REACH compliant}\\$







WSL 80/18

ARTICLE 10335 packaging unit / length 1 Rolle à 50 m



- + plasticised PVC-skirting in 80 mm headway to the wall for your object
- + REACH compliant




WSL 100/20

ARTICLE 10340

packaging unit / length 1 Rolle à 50 m

plasticised-PVC-skirtings



- + plasticised PVC-skirting in 100 mm headway to the wall for your object
- + REACH complinant







0107 grey

0295 beige



Q-group


hard-foam-skirtings

carpet-skirtings

concave-skirtings

stair-nosings

special-profiles



stair-nosings

STAIR-NOSINGS WITH PROFILE


These skirtings are specially intend to combine homogenous flooring or textile flooring to wood, stone or concrete. Take new skirtings for your object and enjoy the modern, valorise look. Profit by the non-skid effect of the plastic profile, which prevents from accidents in staircase areas.






Profit by the non-skid effect of the plastic profile, which prevents from accidents in staircase areas.

stair-nosings




TK 60/42-NL p. 44



TK 60/42 p. 44



TK 45/42/3 p. 45



TK 45/30/3




TK 40/25/2



TEK 30/42/3







ARTICLE 13520

packaging unit / length 20 pcs per 2,5 m = 50 m

- + stair-nosing of plasticised PVC in 60 x 42 mm headway
- + ruffled surface
- + fluorescent






grey



0111 black





TK 60/42

ARTICLE 13420

packaging unit / length 20 pcs per 2,5 m = 50 m

- + stair-nosing of plasticised PVC in 60 x 42 mm headway
- + ruffled surface








0111 black

0107 grey

0525 brown

44



stair-nosings The stair of the




TK45/42/3

ARTICLE 13364

packaging unit / length 20 pcs per 2,5 m = 50 m

- + stair-nosing of plasticised PVC in 45 x 42 mm headway
- + ruffled surface










ARTICLE 13353

packaging unit / length 20 pcs per 2,5 m = 50 m




+ ruffled surface



0111 black







ARTICLE 13385

packaging unit / length 20 pcs per 2,5 m = 50 m


- + stair-nosing of plasticised PVC in 40 x 25 mm headway
- + ruffled surface





0111 black

0107 grey



stair-nosings The stair of the



TEK 30/42/3

ARTICLE 19397

packaging unit / length 20 pcs per 2,5 m = 50 m

- + stair-nosing of plasticised PVC in 30 x 42 mm headway
- + unruffled surface





special-profiles

SOPHISTICATED REQUIREMENTS




This product range includes numerous profiles for floors, walls and ceilings, made out of foamed, plasticised and unplasticised PVC. For each problem we provide a special profile as solution, for example profiles for edge protection, covings, border-strips, finish-profiles and crossing-profiles. APU offers you the possibility to develop new profile solutions in cooperation, means customer related production of the tool and realisation of a new profile. In this case we indicate to the edge profile article number 32230, which has highly alleviated the work of painter and decorater.



APU offers you the possibility to develop new profile solutions in cooperation, means customer related production of the tool and realisation of a new profile.

special-profiles





ARTICLE 20334

packaging unit / length 25 pcs per 4 m = 100 m

- + unplasticised PVC-end-profile in 32 mm headway
- + multi-functional
- + to combine with art. page 28








ARTICLE 20333

packaging unit / length 25 pcs per 4 m = 100 m

- + unplasticised PVC-end-profile in 32 mm headway
- + to combine with flooring up to and including 6.5 mm of size







SSP 24,5

ARTICLE 25700

packaging unit / length 40 pcs per 2,5 m = 100 m



AL 18

ARTICLE 20311

packaging unit / length 40 pcs per 2,5 m = 10 m



- + unplasticised end-profile in 24.5 mm headway
- + flexible, transparent lips to wall and floor
- + self adhesive tape at the rearside
- + suitable for vinyl and PVC flooring up to 3 mm




- + unplasticised PVC-closing-profile in 18 mm headway
- + for multiple using










EFS 24/35/6

ARTICLE 25918


10 pcs per 0,9 m = 9m

- + plasticised PVC-double-edge-stair-nosing for floors up to 6 mm
- + selfadhesive
- + REACH compliant





packaging unit / length



EFS 28/32/5

ARTICLE 25957

packaging unit / length 10 pcs per 0,9 m = 9 m

- + plasticised PVC-edge-stair-nosing to use with floors up to 5 mm
- + selfadhesive
- + REACH compliant







GS 23 SK

ARTICLE 20118

packaging unit / length

- + selfadhesive plasticised PVC-anti-slippering-profile for stair-nosings in 23 mm headway
- + REACH compliant



0111 black



2 Rollen à 50 m = 100 m

22,5

22,5

ARTICLE 30230

packaging unit / length 15 pcs per 2,6 m = 39 m

- + unplasticised edge-profile
- + to transfer wallpapers tidy and easy
- + adhesive furrow inside








0886 stainless steel







WL 20/20

ARTICLE 30121

packaging unit / length 20 pcs per 2,5 m = 50 m

- + unplasticised edge-profile
- + multi talent for edge protection at doors and window sills or only for decoration



0101 white





VST 14


ARTICLE 25585

packaging unit / length 20 pcs per 2,5 m = 50 m

- + PVC-hard-foam-coving width 14 mm x 14 mm
- + not affected by humidity



0101 white







STW 54

ARTICLE 32110

packaging unit / length 30 pcs per 2,7 m = 81 m



STW 54 SK

ARTICLE 32510

packaging unit / length 30 pcs per 2,7 m = 81 m



. . . .


+ level-angles, ideal for carpets in 54 mm headway

+ selfadhesive



mixed colour





KSL 60

ARTICLE 10421

packaging unit / length 25 pcs per 4 m = 100 m



- + unplasticised PVC-skirting in 60 mm headway
- + construction profile, Art. 10422 not included in delivery range



STÜTZ-PROFIL

ARTICLE 10422

packaging unit / length 25 pcs per 4 m = 100 m



internal corner


EQUIPMENT

Article 22890 50 pieces/color	Article 22891 50 pieces/color		
finish cap left	finish cap right	colours	
Article 22895 50 pieces/color	Article 22896 50 pieces/color	0101 white	0295 beige

external corner

Ŧ





UEL 40

ARTICLE 20361

packaging unit / length 1 Rolle à 25 m

- + plasticised PVC- panel frame
- + REACH compliant



0111 black

equipment

MAKE YOUR WORK EASIER



BOLTA-hot glue gun

Can be used for all hard foam skirting boards.

The hot glue gun is supplied in the assembly case and with two different nozzle attachments.



BOLTA-HOT GLUE GUN

Article 22300



BOLTA-HOT GLUE STICKS

Article 22350 18/300 mm content per box: 5 kg – appx. 70 pcs



REPLACEMENT NOZZLE FOR BOLTA-HOT GLUE GUN

straight Article 22302 curved Article 22301



BOLTA-SCISSORS

Article 22205 scissors leverage with 90 degrees for accurate cuttings



TWO-COMPONENT-MASTIC

Article 22002 recoated- and paintable packing unit: 4 canns per 2 kg, 1 carton = 8 kg



METAL-CLIP

Article 22030 multiple mounting and demounting without problems content per unit: 50 pcs



BOLTA-skirting- punching case



BOLTA-PUNCHING CASE

BOLTA-PUNCHING CASE

Article 22240 (filled)

Article 22250 (empty)

BOLTA-skirting board punch

Our BOLTA-skirting board punching machine is characterized by:

- + Integrated quick change system (5, 12 and 16 mm thickness of the strips)
- + Markings for internal and external corners
- + Better visibility to the working area



BOLTA-SL PUNCH Article 22251 for 5 mm profiles



BOLTA-SL PUNCH Article 22252 for 12 mm profiles



BOLTA-SL PUNCH
Article 22253
for 5 + 12 mm profiles



BOLTA-SL PUNCH Article 22257 for 16 mm profiles



BOLTA-CONVERSIONSET FOR 16 MM PROFILESArticle 22228





INDIVIDUAL PARTS FOR BOLTA-SKIRTING BOARD PUNCH























TOWARDS OUR ENVIRONMENT

We understand the principle of a sustainable resource-efficient business management as a major component of our forward-looking corporate policy. Our certified quality management system achieves a continuous minimization of environmental impacts and guarantees the highest possible protection of our employees. Our contribution to environmental protection are measures for heat recovery, a closed cooling water circuit as well as the reduction of waste through extensive recycling and systematic identification and

implementation of energy conservation. As we set special focus on an internal environmental program, we had achieved the continuous reduction of hazardous substances in our products, a complete waiver of toxic ingredients and the greatest possible elimination of substances of the current SVHC-list according to REACH. Concerning our story requirements on ecoand user-friendly products, we exceed the legal level, which only dictates declaration and authorization statements for a number of toxins.



APU Schönberg GmbH

Industriestraße 1

94513 Schönberg, Germany Phone +49 (0)8554 - 309-0 Fax +49 (0)8554 - 309-50

info@apu-schoenberg.de www.apu-schoenberg.de

