



**product catalogue**  
**2024**



## Profiles with profile

A powerful and efficient team is the base for our company success. We have faced the requirements of the market and are today the trademark for innovation, competence and quality in plastic manufacturing.

We relentless pursuit our focus on quality, also in products, processes and management. APU´s claim is to provide always the highest quality.

We confess a special responsibility to the environment, align each operational work to this subject and know the basics of saving resources as well as a lasting management.



## ADVICE

Profiles are illustrated between 60% and 80%.

The basic size of the profiles are mm. Manufacturing differences and tolerances are subject to change.

Our standard program is only available in original packaging. We only deliver special colors and profiles by agreement. Over at all we reserve us other changes.

With this catalogue the older ones get null. Delivery will be carried out according to our delivery and payment conditions.

As may be the case of missprint there is no way of complaint. The colors in this sheet could be differ because of print technic.

## MANUFACTURING ADVICE

These pictograms show the manufacturing advice we give to you.

two-component-mastic



BOLTA-scissors






BOLTA-hot glue gun



BOLTA-punch




-  ORANGE PRESSURE PIECE
-  GREY SET
-  BLACK SET
-  WHITE SET
-  BLUE SET

Overview of pressure pieces and sets see page 64.

## CERTS





Map © getbemaps.de



## BOLTA-PROFILE-PARTNERS

- |   |   |   |
|---|---|---|
| <p><b>1</b> Andrea Facklam<br/>Handelsvertretung BOLTA Fußballprofile<br/>Eckhoffkoppel 8b<br/>22927 Großhansdorf<br/>T 04102 - 65111<br/>F 04102 - 691489<br/>M 0160 - 7013414<br/>@ a.facklam@t-online.de</p> | <p><b>2</b> Marco Kalbhen<br/>Handelsvertretung BOLTA Fußballprofile<br/>An den Leddigen 70<br/>14476 Potsdam<br/>T 033208 - 208965<br/>F 033208 - 208966<br/>M 0175 - 2047971<br/>@ info@kalma-handel.de</p> | <p><b>3</b> André Schlepphorst<br/>94513 Schönberg<br/>M 0151 - 29501782<br/>@ schlepphorst@abs-leisten.de</p>  |
| <p><b>4</b> Frank Schmidt<br/>Handelsvertretung BOLTA Fußballprofile<br/>Bornackerweg 9<br/>35232 Dautphetal<br/>T 06468 - 7177<br/>F 06468 - 1511<br/>M 0172 - 8488536<br/>@ schmidt-f@t-online.de</p>         | <p><b>5</b> Marcel Bäßler<br/>Handelsvertretung BOLTA Fußballprofile<br/>Straße des Friedens 11b<br/>04654 Frohburg OT Flößberg<br/>M 0163 - 4774765<br/>@ info@handelsagentur-baessler.de</p>                | <p><b>6</b> Matthias Bäßler<br/>Handelsvertretung BOLTA Fußballprofile<br/>Finkenweg 18<br/>04643 Geithain<br/>T 034341 - 43277<br/>F 034341 - 40804<br/>M 0171 - 8239292<br/>@ info@baessler-werkzeug.de</p> |
| <p><b>7</b> Stefan Elser<br/>73527 Schwäbisch Gmünd<br/>M 0151 - 11507509<br/>@ elser.stefan@apu-schoenberg.de</p>  | <p><b>8</b> Thomas Freund<br/>Handelsvertretung BOLTA Fußballprofile<br/>Schleifweg 20<br/>97464 Niederwerrn<br/>T 09726 - 1245<br/>F 09726 - 1210<br/>M 0160 - 98042329<br/>@ t.freund@t-online.de</p>       | <p>Zentrallager Bolta Fußballprofile<br/>APU Schönberg GmbH<br/>94513 Schönberg<br/>T 08554 - 309-0<br/>F 08554 - 309-50<br/>@ info@apu-schoenberg.de</p>   |



## **PRODUCTS**

Q-GROUP	P. 06 - 13
HARD-FOAM-SKIRTINGS	P. 14 - 23
CARPET-SKIRTINGS	P. 24 - 29
CLAMPING-SKIRTINGS	P. 30 - 31
CONCAVE-SKIRTINGS	P. 32 - 35
PLASTICISED-PVC-SKIRTINGS	P. 36 - 41
STAIR-NOSINGS	P. 42 - 47
SPECIAL-PROFILES	P. 48 - 59
TOOL/EQUIPMENT	P. 60 - 64

## Straight-lined trendsetter

„Clear cut“ is currently very much in vogue. The hard foam skirting boards from the Q-family follow this trend. The shape of the board follows current design requirements for plain, high-quality and straight-lined skirting boards.

A modern look and uncomplicated workmanship go hand in hand here, because the boards can be fitted to inner and outer corners quickly and easily with the BOLTA mitre cutter.

Skirting boards from the Q-group are available in heights of 40, 60 and 80 mm. The surfaces are finished in smooth, grained and brushed versions; the colour palette ranges from wood and metal looks to selected decor colours in 3D. From a purchase quantity of at least 2,000 metres, we also produce decors according to customer specifications.

In addition, the general quality features of the Q family are the same as those of our entire rigid foam segment: they are insensitive to moisture, dimensionally stable and easy to process.

# Q-GROUP



**Q 12-60M** p. 8



**Q 12-60H** p. 8



**Q 12-60G/B/N** p. 9



**Q 12-40G/B** p. 10



**Q 12-80G** p. 11




**Q 16-80G/B** p. 12




**Q 8-70G** p. 13

# Q-GROUP





## Q 12-60M

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **metallic surface**




### ARTICLE 10646

packaging unit/length  
20 pcs per 2.5 m = 50 m




## Q 12-60H

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **wood colored surface**




### ARTICLE 10670

packaging unit/length  
20 pcs per 2.5 m = 50 m





# Q-GROUP



## Q 12-60G

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **smooth surface**



### ARTICLE 10655

packaging unit/length  
20 pcs per 2.5 m = 50 m



## Q 12-60B

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, form-keeping
- + **brushed surface**

### ARTICLE 10645

packaging unit/length  
20 pcs per 2.5 m = 50 m



## Q 12-60N


- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **grainy structured surface**

### ARTICLE 10650

packaging unit/length  
20 pcs per 2.5 m = 50 m




# Q-GROUP



## Q 12-40G

- + unplasticised PVC-foam-skirting in 40 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **smooth surface**



### ARTICLE 10640

packaging unit/length  
30 pcs per 2.5 m = 75 m



## Q 12-40B


- + unplasticised PVC-foam-skirting in 40 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed surface**

### ARTICLE 10641

packaging unit/length  
30 pcs per 2.5 m = 75 m



## Q-GROUP



### Q 12-80G

- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **smooth surface**




#### ARTICLE 10855

packaging unit/length

13 pcs per 2.5 m = 32,5 m



## Q-GROUP



### Q 16-80G

- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **smooth surface**



#### ARTICLE 10680

packaging unit/length  
10 pcs per 2.5 m = 25 m



9016  
traffic white

### Q 16-80B

- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed surface**


#### ARTICLE 10681

packaging unit/length  
10 pcs per 2.5 m = 25 m



9016  
traffic white

## Q-GROUP



### Q 8-70G

- + unplasticised PVC-foam-skirting in 70 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **smooth surface**



#### ARTICLE 10755

packaging unit/length  
20 pcs per 2.5 m = 50 m



## Classic floor skirtings

Within product innovation BOLTA has developed a large quote of hard-foam-skirtings, which are especially suited for objects. Particular the classic floor skirting, made out of foamed unplasticised-PVC in various sizes and styles with a rigid surface and nevertheless slight in weight. To work the skirting is very easy if you use the BOLTA-punch. This product family is immune to dampness and always keeps form. Two flexible lips to floor and wall drain off subsonic noise. We offer our established profile in selected 3-D or metal-decor-colors with structure or in wood optic.

# HARD-FOAM-SKIRTING




**SL 60** p. 16



**SL 80** p. 18



**SL 100** p. 18



**SL 55** p. 19



**PSL 58/58F** p. 20



**MULTI-SL 60** p. 21



**TSL 60** p. 21




**SL 48M** p. 22



**BSL 60** p. 23

# HARD-FOAM-SKIRTING

with  
new  
Technology




## SL 60

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, form-keeping
- + imbued, flexible lips to floor and wall

### ARTICLE 10560

packaging unit/length  
25 pcs per 4 m = 100 m



### ARTICLE 25560

packaging unit/length  
40 pcs per 2.5 m = 100 m



## EQUIPMENT

### internal corner

article 22842  
50 pieces/color

### external corner

article 22843  
50 pieces/color

### finish cap left

article 22845  
50 pieces/color

### finish cap right


article 22844  
50 pieces/color

### colors

0101 white	0107 grey	0272 clear beige
1236 clear grey	1594 black	8740 silver



+ flexible  
 + insensitive to temperature  
 + no embrittlement



ORANGE  
 PRESSURE  
 PIECE

**ARTICLE 10560**

packaging unit/length  
 25 pcs per 4 m = 100 m



**ARTICLE 25560**

packaging unit/length  
 40 pcs per 2.5 m = 100 m



**EQUIPMENT**

**internal corner**

article 22842  
 50 pieces/color

**external corner**

article 22843  
 50 pieces/color

**finish cap left**

article 22845  
 50 pieces/color


**finish cap right**

article 22844  
 50 pieces/color

**colors**

8538 oak	8619 beech select	8661 beech
8662 maple	8695 wenge	8702 walnut dark

# HARD-FOAM-SKIRTING




## SL 80

- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, form-keeping
- + imbued, flexible lip to the floor and wall



### ARTICLE 10575

packaging unit/length  
25 pcs per 4 m = 100 m



## SL 100


- + unplasticised PVC-foam-skirting in 100 mm headway
- + not affected by humidity or moisture, form-keeping
- + imbued, flexible lips to floor and wall

### ARTICLE 10590

packaging unit/length  
25 pcs per 4 m = 100 m



# HARD-FOAM-SKIRTING



**SL 55**

+ unplasticised PVC-foam-skirting in 55 mm headway  
+ not affected by humidity or moisture, form-keeping




**ARTICLE 10565**

packaging unit/length

25 pcs per 4 m = 100 m



# HARD-FOAM-SKIRTING



## PSL 58

- + unplasticised PVC-foam-skirting in 58 mm headway
- + not affected by humidity or moisture, form-keeping
- + ready to paste in floors
- + shadow gap to the wall, **transparent** lip to the floor




### ARTICLE 10669

packaging unit/length  
25 pcs per 4 m = 100 m



### ARTICLE 25669

packaging unit/length  
20 pcs per 2.5 m = 50 m




## PSL 58F

- + unplasticised PVC-foam-skirting in 58 mm headway
- + not affected by humidity or moisture, form-keeping
- + ready to paste in floors
- + shadow gap to the wall, **imbued** lip to the floor


### ARTICLE 10669

packaging unit/length  
25 pcs per 4 m = 100 m



### ARTICLE 25669

packaging unit/length  
20 pcs per 2.5 m = 50 m



## EQUIPMENT

### finish cap right

article 22838  
50 pieces/color


### finish cap left

article 22839  
50 pieces/color

### colors

0101 white	0107 grey	0272 clear beige	0865 silver
0880 champagne	0899 bronze	1594 black	5309 mocha brown

# HARD-FOAM-SKIRTING



## MULTI-SL 60


- + unplasticised PVC-foam-skirting in 60 mm headway
- + ready to paste in floors
- + not affected by humidity or moisture, form-keeping
- + transparent flexible lip to the floor



ORANGE  
PRESSURE  
PIECE

### ARTICLE 10660

packaging unit/length  
30 pcs per 4 m = 120 m



## TSL 60


- + unplasticised PVC-foam-skirting in 60 mm headway
- + ready to paste in floors
- + not affected by humidity or moisture, form-keeping
- + flexible roof




ORANGE  
PRESSURE  
PIECE

### ARTICLE 10665

packaging unit/length  
25 pcs per 4 m = 100 m



# HARD-FOAM-SKIRTING




## SL 48M

- + unplasticised PVC-foam-skirting in 48 mm headway
- + not affected by humidity or moisture, form-keeping
- + metal clip, art. 22030 not in delivery range
- + invisible soft lip

### ARTICLE 10589

packaging unit/length  
40 pcs per 2.5 m = 100 m



## CLIP

- + metal clip for assembling
- + multiple mounting and demounting possible

### ARTICLE 22030

packaging unit/length  
1 unit per 50 pcs

## EQUIPMENT

### internal corner

article 22870  
50 pieces/color

### external corner

article 22871  
50 pieces/color

### finish cap left

article 22880  
50 pieces/color

### finish cap right

article 22881  
50 pieces/color


### connection

article 22882  
50 pieces/color

### colors

1729 white	8849 isla spruce	8850 savanna	8851 walnut rustic
8852 cement grey	8853 white oak	8854 sand oak	8855 oak island
8856 vintage oak	8857 old beech	8858 maple dark	8859 maple nature

# HARD-FOAM-SKIRTING




## BSL 60

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, form-keeping
- + invisible soft lip



### ARTICLE 10537

packaging unit/length  
28 pcs per 2.5 m = 70 m



### EQUIPMENT

internal corner	external corner	finish cap left	finish cap right
article 22810 50 pieces/color	article 22811 50 pieces/color	article 22815 50 pieces/color	article 22814 50 pieces/color

colors			
8849 isla spruce	8850 savanne	8851 walnut rustic	8853 white oak
8854 sand oak	8856 vintage oak	8858 maple dark	8855 island oak
8857 wint. beech	8859 maple nature	9003 white	



## Profiles for textiles

The skirtings are produced in various styles and colors and guarantee a stunning combination to textile flooring. Our range involves solutions out of foamed-plasticised-PVC and combined materials like rigid-PVC with a soft roof. The chlorine free profile can be easily cut with simple profile scissors. Each profile version has its own characteristics like the self adhesive types, which are specially made for your object. Beyond a high range of equipment alleviates your work.



# CARPET-SKIRTING



**TSL 55/6** p. 22



**TSL 55/6-SK** p. 22



**TSL 55/7** p. 23




**TSL 55/7-SK** p.24



**TSL 55/9** p. 25

# CARPET-SKIRTING



## TSL 55/6

- + unplasticised PVC-skirting in 55 mm headway with a soft roof
- + self adhesive area integrated
- + specially appropriated for complete textile carpets

### ARTICLE 10387

packaging unit/length  
25 pcs per 4 m = 100 m



### ARTICLE 25387

packaging unit/length  
40 pcs per 2.5 m = 100 m



## TSL 55/6-SK


- + unplasticised PVC-skirting in 55 mm headway with a soft roof
- + self adhesive area with very high stick-attribute
- + specially appropriated for complete textile carpets
- + rearside with foam tape

### ARTICLE 17387

packaging unit/length  
40 pcs per 2.5 m = 100 m



# CARPET-SKIRTING




## TSL 55/7

+ unplasticised-PVC-skirting in 55 mm headway  
+ self adhesive area in front


### ARTICLE 10443

packaging unit/length  
30 pcs per 4 m = 120 m



### ARTICLE 25443

packaging unit/length  
40 pcs per 2.5 m = 100 m



## EQUIPMENT

### internal corner

article 22885  
100 pieces/color


### external corner

article 22886  
100 pieces/color

### colors

0101 white	0107 grey	0111 black
---------------	--------------	---------------

# CARPET-SKIRTING



## TSL 55/7-SK

- + unplasticised PVC-skirting in 55 mm headway
- + self adhesive area in front
- + rearside adhesive

### ARTICLE 17443

packaging unit/length  
40 pcs per 2.5 m = 100 m



0101  
white

## EQUIPMENT

### internal corner

article 22885  
100 pieces/color


### external corner

article 22886  
100 pieces/color

### colors

0101 white	0107 grey	0111 black
---------------	--------------	---------------

# CARPET-SKIRTING



## TSL 55/9

+ unplasticised PVC-skirting in 55 mm headway with a soft roof  
+ self adhesive area in front

### ARTICLE 10482

packaging unit/length  
25 pcs per 4 m = 100 m



0101  
white

### ARTICLE 25482


packaging unit/length  
40 pcs per 2.5 m = 100 m



0101  
white

## EQUIPMENT


<u>internal corner</u>	<u>external corner</u>	<u>finish cap left</u>	<u>finish cap right</u>	<u>colors</u>
article 22850 100 pieces/color	article 22851 100 pieces/color	article 22860 50 pieces/color	article 22861 50 pieces/color	0101 white



## Hide quality

The ex post installation of wires is very easy and efficient because of the 1-part or 2-part system. The cover profiles fit harmonically because the slots for the wires are integrated in the skirtings. The wires vanish in the profile, are invisible and can be opened consistently. The flexible lips guarantee a proper connection to floor and wall.

# CLAMPING-SKIRTING




## KSL 60

+ unplasticised PVC-skirting in 60 mm headway  
+ plastic clip for assembling with art. 22025 + 22026  
not included in delivery range

### ARTICLE 10421

packaging unit/length  
25 pcs per 4 m = 100 m



## CLIP

ARTICLE 22025  
ARTICLE 22026

due to page 61

### EQUIPMENT

#### internal corner

article 22890  
50 pieces/color

#### external corner

article 22891  
50 pieces/color

#### finish cap left

article 22895  
50 pieces/color

#### finish cap right

article 22896  
50 pieces/color

#### colors

0101  
white

0295  
beige

# CONCAVE-SKIRTING



## Skirtings protect

This skirting has been developed in cooperation with experienced craftsmen for areas, which are most hygiene sensible. The floor can be raised without building corners, when mounting a concave skirting. Ugly and distracting corners could be avoided through radius formation. Benefit from our experience!



# CONCAVE-SKIRTING



**HKSL 2,5** p. 30




**HKSL 3** p. 30



**HKP 16-50** p. 31

## CONCAVE-SKIRTING



### HKSL 2,5

- + unplasticised PVC-skirting in 100 mm headway
- + specially developed for your object
- + soft roof

#### ARTICLE 24885

packaging unit/length  
40 pcs per 2.5 m = 100 m



### HKSL 3


- + unplasticised PVC-skirting in 100 mm headway
- + specially developed for your object

#### ARTICLE 10883

packaging unit/length  
25 pcs per 4 m = 100 m



# CONCAVE-SKIRTING



## HKP 16-50

- + concave-skirting in various headways
- + for flooring implementation with raised PVC-floors and a neatless wall-floor-footbridge
- + specially for linolium floors
- + combination with various end profiles possible (picture)

### ARTICLE 20000

HKP 16 x 16

packaging unit/length  
20 pcs per 2.5 m = 50 m  
2 rolls per 30 m = 60 m



0111  
black

### ARTICLE 20299

HKP 20 x 20

packaging unit/length  
20 pcs per 2.5 m = 50 m



0111  
black

### ARTICLE 20399

HKP 25 x 25

packaging unit/length  
20 pcs per 2.5 m = 50 m  
3 rolls per 25 m = 75 m



0111  
black

### ARTICLE 20400

HKP 50 x 50


packaging unit/length  
10 pcs per 2.5 m = 25 m



0111  
black

## Skirtings for your object

The profile guarantees an easy and functional wall protection and provide the necessary, individual closure to the wall. The flexible skirtings which can be delivered on rolls, are easy to transport and handle. Additionally we sublimate the skirtings with die stamping to guarantee a high-class surface and a great view. The formation of internal and external corners can be carried out endlessly from the roll. More information for competent hauling you find in our product sheets. Choose the right color out of a considerable line!.



# PLASTICISED-PVC-SKIRTING



**WSL 50/15** p. 38  
**OBJEKT-SK**




**WSL 50/15** p. 38



**WSL 60/16** p. 39  
**OBJEKT-SK**



**WSL 60/16** p. 39




**WSL 80/18** p. 40



**WSL 100/20** p. 41

# PLASTICISED-PVC-SKIRTING




## WSL 50/15 OBJEKT-SK

- + plasticised PVC-skirting in 50 mm headway to the wall
- + self adhesive rear with a high quality acrylic-tape
- + REACH compliant

### ARTICLE 10224

packaging unit/length  
1 roll per 50 m




## WSL 50/15

- + plasticised PVC-skirting in 50mm headway to the wall for your object
- + REACH compliant


### ARTICLE 10310

packaging unit/length  
2 rolls per 50 m = 100 m




### ARTICLE 10510

packaging unit/length  
2 rolls per 50 m = 100 m



# PLASTICISED-PVC-SKIRTING




## WSL 60/16 OBJEKT-SK

- + plasticised PVC-skirting in 60 mm wall headway
- + self adhesive rear with a high quality acrylic-tape
- + REACH compliant

### ARTICLE 10233

packaging unit/length  
1 roll per 50 m



## WSL 60/16


- + plasticised PVC-skirting in 60 mm wall headway for your object
- + REACH compliant

### ARTICLE 10333

packaging unit/length  
1 roll per 50 m



## PLASTICISED-PVC-SKIRTING




**WSL**  
**80/18**

- + plasticised PVC-skirting in 80 mm headway to the wall for your object
- + REACH compliant

### ARTICLE 10335


packaging unit/length

1 roll per 50 m





## PLASTICISED-PVC-SKIRTING



**WSL**  
**100/20**

+ plasticised PVC-skirting in 100 mm headway to the wall for your object  
+ REACH complinant

### ARTICLE 10340

packaging unit/length

1 roll per 50 m




0107  
grey

0111  
black


0295  
beige

## Stair nosings need profile


These skirtings are specially intend to combine homogenous flooring or textile flooring to wood, stone or concrete. Take new skirtings for your object and enjoy the modern, valorise look. Profit by the non-skid effect of the plastic profile, which prevents from accidents in staircase areas.



# STAIR-NOSING




**TK 60/42-NL** p. 44



**TK 60/42** p. 44



**TK 45/42/3** p. 45



**TK 45/30/3** p. 45



**TK 40/25/2** p. 46





**TEK 30/42/3** p. 46



**TEK 30/35/3** p. 47

# STAIR-NOSING




## TK 60/42-NL

ARTICLE 13520


packaging unit/length  
20 pcs per 2.5 m = 50 m

- + stair-nosing of plasticised PVC in 60 x 42 mm headway
- + ruffled surface
- + fluorescent



0111  
black

0107  
grey



## TK 60/42

ARTICLE 13420

packaging unit/length  
20 pcs per 2.5 m = 50 m

- + stair-nosing of plasticised PVC in 60 x 42 mm headway
- + ruffled surface




0111  
black

0107  
grey

0525  
brown

# STAIR-NOSING




**TK**  
**45/42/3**

**ARTICLE 13364**

packaging unit/length

20 pcs per 2.5 m = 50 m

+ stair-nosing of plasticised PVC in 45 x 42 mm headway  
+ ruffled surface




**TK**  
**45/30/3**

**ARTICLE 13353**


packaging unit/length

20 pcs per 2.5 m = 50 m

+ stair-nosing of plasticised PVC in 45 x 30 mm headway  
+ ruffled surface



# STAIR-NOSING




**TK**  
**40/25/2**

**ARTICLE 13385**

packaging unit/length  
20 pcs per 2.5 m = 50 m

+ stair-nosing of plasticised PVC in 40 x 25 mm headway  
+ ruffled surface




**TEK**  
**30/42/3**



**ARTICLE 19397**

packaging unit/length  
20 pcs per 2.5 m = 50 m

+ stair-nosing of plasticised PVC in 30 x 42 mm headway  
+ unruffled surface



# STAIR-NOSING



**TEK**  
**30/35/3**

**ARTICLE 19392**

packaging unit/length

20 pcs per 2.5 m = 50 m

+ stair-nosing of plasticised PVC in 30 x 35 mm headway

+ unruffled surface



0111  
black

0107  
grey

### Sophisticated requirements

This product range includes numerous profiles for floors, walls and ceilings, made out of foamed, plasticised and unplasticised PVC. For each problem we provide a special profile as solution, for example profiles for edge protection, covings, border-strips, finish-profiles and crossing-profiles. APU offers you the possibility to develop new profile solutions in cooperation, means customer related production of the tool and realisation of a new profile. In this case we indicate to the edge profile article number 32230, which has highly alleviated the work of painter and decorator.



# SPECIAL-PROFILES



**AL 32/3** p. 50



**AL 32/6,5** p. 50



**SSP 24,5** p. 51  
**AL 18**



**FP 52** p. 52



**EFS** p. 52  
**24/35/6 SK**



**EFS** p. 53  
**28/32/5 SK**



**EFS** p. 53  
**28/32/5**



**GS 23 SK** p. 54




**GS 27** p. 54



**TEP 22** p. 55



**WL 20/20** p. 55



**STW 54 /** p. 56  
**STW 54 SK**



**KL 40** p. 57



**VST 14** p. 58




**VST 20** p. 58



**UEL 40** p. 59

## SPECIAL-PROFILES





### AL 32/3

- + unplasticised PVC-end-profile in 32 mm headway
- + multi-functional
- + to combine with art. page 28

#### ARTICLE 20334

packaging unit/length  
25 pcs per 4 m = 100 m




### AL 32/6,5


- + unplasticised PVC-end-profile in 32 mm headway
- + to combine with flooring up to and including 6.5 mm of size

#### ARTICLE 20333

packaging unit/length  
25 pcs per 4 m = 100 m



## SPECIAL-PROFILES




### SSP 24,5

- + unplasticised end-profile in 24.5 mm headway
- + flexible, transparent lips to wall and floor
- + self adhesive tape at the rearside
- + suitable for vinyl and PVC flooring up to 3 mm

#### ARTICLE 25700

packaging unit/length  
40 pcs per 2.5 m = 100 m



### AL 18


- + unplasticised PVC-closing-profile in 18 mm headway
- + for multiple using

#### ARTICLE 20311

packaging unit/length  
40 pcs per 2.5 m = 100 m



## SPECIAL-PROFILES





### FP 52

- + unplasticised PVC-profile with a flexible expansion gap
- + wedge-shaped with adhesive furrows

#### ARTICLE 32623

packaging unit/length

20 pcs per 2.5 m = 50 m




### EFS 24/35/6 SK

- + plasticised PVC-double-edge-stair-nosing for floors up to 6 mm
- + selfadhesive
- + REACH compliant


#### ARTICLE 25918

packaging unit/length

10 pcs per 0.9 m = 9 m



## SPECIAL-PROFILES




### EFS 28/32/5 SK

- + plasticised PVC-edge-stair-nosing to use with floors up to 5 mm
- + selfadhesive
- + REACH compliant

#### ARTICLE 25957



packaging unit/length

10 pcs per 0.9 m = 9 m



0119  
grey

0295  
beige




### EFS 28/32/5

- + plasticised PVC-edge-stair-nosing to use with floors up to 5 mm
- + REACH compliant

#### ARTICLE 19357


packaging unit/length

1 roll per 25 m



0111  
black

## SPECIAL-PROFILES



### GS 23 SK


- + selfadhesive plasticised PVC-anti-slippering-profile for stair-nosings in 23 mm headway
- + REACH compliant

#### ARTICLE 20118

packaging unit/length  
2 rolls per 50 m = 100 m



0111  
black



### GS 27

- + plasticised PVC-inlay for anti slipping
- + REACH compliant


#### ARTICLE 20106

packaging unit/length  
4 rolls per 25 m = 100 m



0111  
black

## SPECIAL-PROFILES




### TEP 22

- + unplasticised edge-profile
- + to transfer wallpapers tidy and easy
- + adhesive furrow inside

#### ARTICLE 30230

packaging unit/length  
15 pcs per 2,6 m = 39 m



### WL 20/20


- + unplasticised edge-profile
- + multi talent for edge protection at doors and window sills or only for decoration

#### ARTICLE 30121

packaging unit/length  
20 pcs per 2.5 m = 50 m



## SPECIAL-PROFILES



### STW 54

+ level-angles, ideal for carpets in 54 mm headway

#### ARTICLE 32110

packaging unit/length

30 pcs per 2.7 m = 81 m



mixed color

### STW 54 SK

+ level-angles, ideal for carpets in 54 mm headway

+ selfadhesive

#### ARTICLE 32510

packaging unit/length


30 pcs per 2.7 m = 81 m



mixed color




## SPECIAL-PROFILES



### KL 40

- + unplastified kitchen-end-skirting with girder section
- + damp proof
- + form-keeping



### EQUIPMENT

#### colors


9901 granite gray	9909 silver
9925 brown	9965 white

### ARTICLE 53025

packaging unit/length  
5 units 10 packs

- + 5-unit-combi package with:
  - 1 internal and 1 external corner
  - 1 finish cap right and left
  - 1 connection

## SPECIAL-PROFILES



### VST 14


- + PVC-hard-foam-coving width 14 mm x 14 mm
- + not affected by humidity

#### ARTICLE 25585

packaging unit/length  
20 pcs per 2.5 m = 50 m



0101  
white



### VST 20

- + PVC-hard-foam coving width 20 mm x 20 mm
- + not affected by humidity


#### ARTICLE 25586

packaging unit/length  
20 pcs per 2.5 m = 50 m



0101  
white

## SPECIAL-PROFILES



### UEL 40

- + plasticised PVC- panel frame
- + REACH compliant

#### ARTICLE 20361

packaging unit/length

1 roll per 25 m



0111  
black

### Make your work easier

If you want to produce high quality in the process of fixing skirtings, work with our scheduled BOLTA-tool.

The BOLTA-punch is used for all hard-foam-skirtings to notch internal and external corners without gaps. Take our BOLTA-scissors for clear and straight cuts.

## BOLTA-hot glue gun

Can be used for all hard foam skirting boards.

The hot glue gun is supplied in the assembly case and with two different nozzle attachments.



### BOLTA-hot glue gun

ARTICLE 22300



### BOLTA-hot glue sticks

ARTICLE 22350

18/300 mm

content per box: 5 kg – appx. 70 pcs



### Replacement nozzle for BOLTA-hot glue gun

straight ARTICLE 22302

curved ARTICLE 22301



### BOLTA-scissors

ARTICLE 22205

scissors leverage with 90 degrees for accurate cuttings



### two-component-mastic

ARTICLE 22002

recoated- and paintable packing unit:

4 canss per 2 kg, 1 carton = 8 kg



### clip

ARTICLE 22025 + 22026

dowel and nails  
content per unit:  
dowel: 1000 pcs  
nails: 1500 pcs.



### metal-clip

ARTICLE 22030

multiple mounting and de-mounting without problems  
content per unit: 50 pcs

## BOLTA-skirting-punching case

In our BOLTA-punching case you have everything you need:

- + BOLTA-skirting board punch
- + orange pressure piece for 5mm profiles
- + white pressure piece and white guide block for 12mm profiles
- + BOLTA-profile scissors
- + BOLTA-professional cutter knife
- + BOLTA-meter stick



The case is also empty available.

**BOLTA-punching case**  
ARTICLE 22240 (FILLED)

**BOLTA-punching case**  
ARTICLE 22250 (EMPTY)

## BOLTA-skirting board punch

Our BOLTA-skirting board punching machine is characterized by:

- + Integrated quick change system (5, 12 and 16 mm thickness of the strips)
- + Markings for internal and external corners
- + Better visibility to the working area



**BOLTA-SL punch**

ARTICLE 22251  
for 5mm profiles



**BOLTA-SL punch**

ARTICLE 22252  
for 12mm profiles



**BOLTA-SL punch**

ARTICLE 22253  
for 5 + 12mm profiles



**BOLTA-SL punch**

ARTICLE 22257  
for 16mm profiles



**BOLTA-ConversionSET  
for 16mm profiles**

ARTICLE 22258

## Individual parts for BOLTA-skirting board punch

**ORANGE PRESSURE PIECE**



**Pressure piece orange**  
ARTICLE 22218  
for 5mm profiles


**GREY SET**



**Pressure piece grey**  
ARTICLE 22237  
for 5mm special-profiles

**Guiding block grey**  
ARTICLE 22236  
for 5mm special-profiles

**BLACK SET**



**Pressure piece black**  
ARTICLE 22247  
for 8mm profiles

**Guiding block black**  
ARTICLE 22246  
for 8mm profiles

**WHITE SET**



**Pressure piece white**  
ARTICLE 22217  
for 12mm profiles

**Guiding block white**  
ARTICLE 22216  
for 12mm profiles

**BLUE SET**



**Pressure piece blue**  
ARTICLE 22221  
for 16mm profiles

**Guiding block blue**  
ARTICLE 22226  
for 16mm profiles



**Blade for mitre punch standard**  
without colour coding  
ARTICLE 22212  
for all profiles except 16mm



**Blade for mitre punch blue**  
with blue colour coding  
ARTICLE 22227  
for 16mm profiles



**Spring**  
ARTICLE 22213



**Quick-change bolt**  
ARTICLE 22210



## Towards our environment

We understand the principle of a sustainable resource-efficient business management as a major component of our forward-looking corporate policy. Our certified quality management system achieves a continuous minimization of environmental impacts and guarantees the highest possible protection of our employees. Our contribution to environmental protection are measures for heat recovery, a closed cooling water circuit as well as the reduction of waste through extensive recycling and systematic identification and implementation of energy conservation.

As we set special focus on an internal environmental program, we had achieved the continuous reduction of hazardous substances in our products, a complete waiver of toxic ingredients and the greatest possible elimination of substances of the current SVHC-list according to REACH. Concerning our story requirements on eco- and user-friendly products, we exceed the legal level, which only dictates declaration and authorization statements for a number of toxins.

# APU

**APU Schönberg GmbH**  
Industriestraße 1  
94513 Schönberg, Germany

Phone +49 (0)8554 - 309-0  
Fax +49 (0)8554 - 309-50  
[info@apu-schoenberg.de](mailto:info@apu-schoenberg.de)  
[www.apu-schoenberg.de](http://www.apu-schoenberg.de)

